

Building evidence for conservation globally
**Journal of
Threatened
TAXA**



Open Access

10.11609/jott.2022.14.3.20703-20810
www.threatenedtaxa.org

26 March 2022 (Online & Print)
14(3): 20703-20810
ISSN 0974-7907 (Online)
ISSN 0974-7893 (Print)



Publisher

Wildlife Information Liaison Development Societywww.wild.zooreach.org

Host

Zoo Outreach Organizationwww.zooreach.org

No. 12, Thiruvannamalai Nagar, Saravanampatti - Kalapatti Road, Saravanampatti,

Coimbatore, Tamil Nadu 641035, India

Ph: +91 9385339863 | www.threatenedtaxa.org

Email: sanjay@threatenedtaxa.org

EDITORS

Founder & Chief Editor

Dr. Sanjay MolurWildlife Information Liaison Development (WILD) Society & Zoo Outreach Organization (ZOO),
12 Thiruvannamalai Nagar, Saravanampatti, Coimbatore, Tamil Nadu 641035, India

Deputy Chief Editor

Dr. Neelesh Dahanukar

Noida, Uttar Pradesh, India

Managing Editor

Mr. B. Ravichandran, WILD/ZOO, Coimbatore, India

Associate Editors

Dr. Mandar Paingankar, Government Science College Gadchiroli, Maharashtra 442605, India**Dr. Ulrike Streicher**, Wildlife Veterinarian, Eugene, Oregon, USA**Ms. Priyanka Iyer**, ZOO/WILD, Coimbatore, Tamil Nadu 641035, India**Dr. B.A. Daniel**, ZOO/WILD, Coimbatore, Tamil Nadu 641035, India

Editorial Board

Dr. Russel Mittermeier

Executive Vice Chair, Conservation International, Arlington, Virginia 22202, USA

Prof. Mewa Singh Ph.D., FASc, FNA, FNAsc, FNAPsy

Ramanna Fellow and Life-Long Distinguished Professor, Biopsychology Laboratory, and Institute of Excellence, University of Mysore, Mysuru, Karnataka 570006, India; Honorary Professor, Jawaharlal Nehru Centre for Advanced Scientific Research, Bangalore; and Adjunct Professor, National Institute of Advanced Studies, Bangalore

Stephen D. Nash

Scientific Illustrator, Conservation International, Dept. of Anatomical Sciences, Health Sciences Center, T-8, Room 045, Stony Brook University, Stony Brook, NY 11794-8081, USA

Dr. Fred Pluthero

Toronto, Canada

Dr. Priya Davidar

Sigur Nature Trust, Chadapatti, Mavinahalli PO, Nilgiris, Tamil Nadu 643223, India

Dr. Martin Fisher

Senior Associate Professor, Battcock Centre for Experimental Astrophysics, Cavendish Laboratory, JJ Thomson Avenue, Cambridge CB3 0HE, UK

Dr. John Fellowes

Honorary Assistant Professor, The Kadoorie Institute, 8/F, T.T. Tsui Building, The University of Hong Kong, Pokfulam Road, Hong Kong

Prof. Dr. Mirco Solé

Universidade Estadual de Santa Cruz, Departamento de Ciências Biológicas, Vice-coordenador do Programa de Pós-Graduação em Zoologia, Rodovia Ilhéus/Itabuna, Km 16 (45662-000) Salobrinho, Ilhéus - Bahia - Brasil

Dr. Rajeev Raghavan

Professor of Taxonomy, Kerala University of Fisheries & Ocean Studies, Kochi, Kerala, India

English Editors

Mrs. Mira Bhojwani, Pune, India**Dr. Fred Pluthero**, Toronto, Canada**Mr. P. Ilangovan**, Chennai, India

Web Development

Mrs. Latha G. Ravikumar, ZOO/WILD, Coimbatore, India

Typesetting

Mr. Arul Jagadish, ZOO, Coimbatore, India**Mrs. Radhika**, ZOO, Coimbatore, India**Mrs. Geetha**, ZOO, Coimbatore India

Fundraising/Communications

Mrs. Payal B. Molur, Coimbatore, India

Subject Editors 2019–2021

Fungi

Dr. B. Shivaraju, Bengaluru, Karnataka, India**Dr. R.K. Verma**, Tropical Forest Research Institute, Jabalpur, India**Dr. Vatsavaya S. Raju**, Kakatiya University, Warangal, Andhra Pradesh, India**Dr. M. Krishnappa**, Jnana Sahyadri, Kuvenpu University, Shimoga, Karnataka, India**Dr. K.R. Sridhar**, Mangalore University, Mangalagangotri, Mangalore, Karnataka, India**Dr. Gunjan Biswas**, Vidyasagar University, Midnapore, West Bengal, India

Plants

Dr. G.P. Sinha, Botanical Survey of India, Allahabad, India**Dr. N.P. Balakrishnan**, Ret. Joint Director, BSI, Coimbatore, India**Dr. Shonil Bhagwat**, Open University and University of Oxford, UK**Prof. D.J. Bhat**, Retd. Professor, Goa University, Goa, India**Dr. Ferdinando Boero**, Università del Salento, Lecce, Italy**Dr. Dale R. Calder**, Royal Ontario Museum, Toronto, Ontario, Canada**Dr. Cleofas Cervancia**, Univ. of Philippines Los Baños College Laguna, Philippines**Dr. F.B. Vincent Florens**, University of Mauritius, Mauritius**Dr. Merlin Franco**, Curtin University, Malaysia**Dr. V. Irudayaraj**, St. Xavier's College, Palayamkottai, Tamil Nadu, India**Dr. B.S. Kholia**, Botanical Survey of India, Gangtok, Sikkim, India**Dr. Pankaj Kumar**, Kadoorie Farm and Botanic Garden Corporation, Hong Kong S.A.R., China**Dr. V. Sampath Kumar**, Botanical Survey of India, Howrah, West Bengal, India**Dr. A.J. Solomon Raju**, Andhra University, Visakhapatnam, India**Dr. Vijayasankar Raman**, University of Mississippi, USA**Dr. B. Ravi Prasad Rao**, Sri Krishnadevaraya University, Anantapur, India**Dr. K. Ravikumar**, FRLHT, Bengaluru, Karnataka, India**Dr. Aparna Watve**, Pune, Maharashtra, India**Dr. Qiang Liu**, Xishuangbanna Tropical Botanical Garden, Yunnan, China**Dr. Noor Azhar Mohamed Shazili**, Universiti Malaysia Terengganu, Kuala Terengganu, Malaysia**Dr. M.K. Vasudeva Rao**, Shiv Ranjan Housing Society, Pune, Maharashtra, India**Prof. A.J. Solomon Raju**, Andhra University, Visakhapatnam, India**Dr. Manda Datar**, Agharkar Research Institute, Pune, Maharashtra, India**Dr. M.K. Janarthanam**, Goa University, Goa, India**Dr. K. Karthigeyan**, Botanical Survey of India, India**Dr. Errol Vela**, University of Montpellier, Montpellier, France**Dr. P. Lakshminarasimhan**, Botanical Survey of India, Howrah, India**Dr. Larry R. Nobile**, Montgomery Botanical Center, Miami, USA**Dr. K. Haridasan**, Pallavur, Palakkad District, Kerala, India**Dr. Analinda Manila-Fajard**, University of the Philippines Los Baños, Laguna, Philippines**Dr. P.A. Sinu**, Central University of Kerala, Kasaragod, Kerala, India**Dr. Afroz Alam**, Banasthali Vidyapith (accredited A grade by NAAC), Rajasthan, India**Dr. K.P. Rajesh**, Zamorin's Guruvayurappan College, GA College PO, Kozhikode, Kerala, India**Dr. David E. Boufford**, Harvard University Herbaria, Cambridge, MA 02138-2020, USA**Dr. Ritesh Kumar Choudhary**, Agharkar Research Institute, Pune, Maharashtra, India**Dr. Navendu Page**, Wildlife Institute of India, Chandrabani, Dehradun, Uttarakhand, India

Invertebrates

Dr. R.K. Avasthi, Rohtak University, Haryana, India**Dr. D.B. Bastawade**, Maharashtra, India**Dr. Partha Pratim Bhattacharjee**, Tripura University, Suryamaninagar, India**Dr. Kailash Chandra**, Zoological Survey of India, Jabalpur, Madhya Pradesh, India**Dr. Ansie Dippenaar-Schoeman**, University of Pretoria, Queenswood, South Africa**Dr. Rory Dow**, National Museum of Natural History Naturals, The Netherlands**Dr. Brian Fisher**, California Academy of Sciences, USA**Dr. Richard Gallon**, Ilandudno, North Wales, LL30 1UP**Dr. Hemant V. Ghate**, Modern College, Pune, India**Dr. M. Monwar Hossain**, Jahangirnagar University, Dhaka, Bangladesh**Mr. Jatishwar Singh Irungbam**, Biology Centre CAS, Branišovská, Czech Republic.**Dr. Ian J. Kitching**, Natural History Museum, Cromwell Road, UK**Dr. George Mathew**, Kerala Forest Research Institute, Peechi, IndiaFor Focus, Scope, Aims, and Policies, visit https://threatenedtaxa.org/index.php/JoTT/aims_scopeFor Article Submission Guidelines, visit <https://threatenedtaxa.org/index.php/JoTT/about/submissions>For Policies against Scientific Misconduct, visit https://threatenedtaxa.org/index.php/JoTT/policies_various

continued on the back inside cover

Cover: Rufous-headed Hornbill *Rhabdotorrhinuswaldeni* © Philip Godfrey C. Jakosalem.



A new distribution record of *Memecylon clarkeanum* Cogn. (Melastomataceae) to Karnataka from Sharavathi river basin, central Western Ghats, India

Malve Sathisha Savinaya¹ , Jogattappa Narayana² , Venkatarangaiah Krishna³  & Kalamanji Govindaiah Girish⁴ 

^{1,2} Department of P.G. Studies & Research in Environmental Science, ³ Department of P.G. Studies & Research in Biotechnology, Jnana Sahyadri, Kuvempu University, Shankarghatta, Shivamogga, Karnataka 577451, India.

^{1,4} Panchavati Research Academy for Nature, Kalamanji, Sagar, Shivamogga, Karnataka 577421, India.

⁴ Indira Gandhi Government First Grade College for Women, Sagar, Shivamogga, Karnataka 577401, India.

¹ savimalve@gmail.com (corresponding author), ² janaes@rediffmail.com, ³ krishnabiotech2003@gmail.com, ⁴ girishjanney@gmail.com

Abstract: *Memecylon clarkeanum* Cogn., a vulnerable species, is reported as a new record for Karnataka from primeval sacred forest, Rameshwara Devarakadu of Hulkodu village in the region of Sharavathi river basin, Sagar taluk, Shivamogga district, central Western Ghats. The present discovery highlights the importance of sacred groves in conserving rare, endangered and endemic flora. Prior to this, the species was reported as a new record for India from Kerala in 2012. The present paper illustrates the range extension of the species further towards northern latitudes up to central Western Ghats, Karnataka. The study assessed distributional range, habitat, ecology, status of threat, and vulnerability for planning conservation measures.

Keywords: Conservation, endemic flora, Karnataka, new report, range extension.

Memecylon L., is one of the largest genera in the family Melastomataceae. In 1753, Linnaeus introduced the genus *Memecylon* with a description of *Memecylon capitellatum* from Sri Lanka (Linnaeus, 1753). The genus, today comprising ca. 352 accepted species distributed in Old World tropics ("Memecylon L. | Plants of the World Online | Kew Science," 2018). The members of *Memecylon* are small trees or shrubs and found in habitats ranging from tropical wet evergreen to semi-evergreen forests and most of them are understory species (Bremer 1981; Das 2017; Melastomataceae.Net, 2020). Clarke (1879) reported 40 species and 27 varieties of *Memecylon* for the flora of British India, whereas, Cooke (1901) recorded five species from the Bombay presidency and Gamble (1919) reported 18 species from

Editor: A.G. Pandurangan, Jawaharlal Nehru Tropical Botanic Garden And Research Institute, Palode, India. **Date of publication:** 26 March 2022 (online & print)

Citation: Savinaya, S.M., J. Narayana, V. Krishna & K.G. Girish (2022). A new distribution record of *Memecylon clarkeanum* Cogn. (Melastomataceae) to Karnataka from Sharavathi river basin, central Western Ghats, India. *Journal of Threatened Taxa* 14(3): 20792-20797. <https://doi.org/10.11609/jott.6536.14.3.20792-20797>

Copyright: © Savinaya et al. 2022. Creative Commons Attribution 4.0 International License. JoTT allows unrestricted use, reproduction, and distribution of this article in any medium by providing adequate credit to the author(s) and the source of publication.

Funding: Department of Biotechnology, New Delhi under Boost to University Interdisciplinary Life Science Departments for Education and Research Programme (DBT-BUILDER) project entitled "Bio-prospecting of medicinal plants of Western Ghats, Karnataka".

Competing interests: The authors declare no competing interests.

Acknowledgements: This research was financially supported by the Department of Biotechnology, Government of India through DBT-BUILDER Project (Order No. BT/PR9128/INF/22/190/2013, Dated: 30/06/2015). We hereby extend our thankfulness to DBT, New Delhi. We thank Kuvempu University for offering facility to carry out research. We would also like to show our gratitude to Panchavati Research Academy for Nature (PRANA), an organisation which extended their assistance of helping hands in the field studies.



the presidency of Madras (Clarke 1879; Cooke 1901; Gamble 1919). The digital Flora of Karnataka included 11 species of *Memecylon* from the state (Herbarium JCB 2020). The recent study on this genus for India have delimited 53 species of which 26 are endemics to the region (Das 2017).

In 2018, while documenting angiosperm diversity of Rameshwara Devarakadu, a sacred (Kaanu) forest at Hulkodu village, Sagara taluk, Shivamogga district in the region of Sharavathi river basin, central Western Ghats, the authors have collected a specimen of a *Memecylon* species. The specimen was critically examined by referring relevant literature and digital images of type specimen (Thwaites C.P2468), it was identified as *Memecylon clarkeanum* Cogn. (Saldanha & Ramesh 1984; Ramaswami et al. 2001; Bhat 2003; "HerbWeb", 2020). The species was earlier thought to be an endemic to Sri Lanka until it was reported as a new record for India from the evergreen forests of Wayanad, Malappuram

and Kozhikode districts of Kerala by Sivu et al. (2012). Later, Udayavani & Ramachandran (2013) reported the occurrence of *M. clarkeanum* from Nilgiris, Tamil Nadu. The present collection of this species from a sacred grove (14.134N and 74.959E, altitude of 640 m) in Sharavathi river basin constitutes the first authentic record from Karnataka and therefore reported here as an addition to the flora of Karnataka with full bibliographic citations, morphological description, ecology, association, phenology, distribution, and specimens examined with colour photographs of plant to facilitate further collection, correct identification and conservation. The specimen (KUBPHS150) is deposited in Biodiversity Laboratory of BUILDER Project, Bio Sciences Complex, Kuvempu University, Shankarghatta, Shivamogga, Karnataka. The species has been globally assessed its threat status and treated it under 'Vulnerable' category (World Conservation Monitoring Centre 1998).



Image 1. *Memecylon clarkeanum* Cogn.: A—Habit | B—Phyllotaxy and dorsal view of leaves | C—Immature/Unripe fruit with hypantho-calyx rind | D—Fruit insertion (Fruit bud) | E—Acuminate leaf apex | F—Cuneate leaf base | G—Stout petiole (Channelled upper side) | H—Fruiting twig | I—Pale lower leaf surface and shape of lamina | J—Shiny upper leaf surface. © Savinaya M.S.



Image 2. Leaf phenological stages of *Memecylon clarkeanum* Cogn.: A—Leaf insertion | B—Leaf bud (Purple colour leaf bud) | C—Immature leaf (Turning green) | D—Expanding leaf | E—Matured leaf | F—View of matured leaves in the terminal position of branch | G—Dry leaf. © Savinaya M.S.

TAXONOMIC TREATMENT

Memecylon clarkeanum Cogn.

in DC. Mon. Phan. 7: 1141. 1891; Trimen, Handb. Fl. Ceylon 2: 217. 1894; Bremer, Opera. Bot. 50: 24.1979; Dassanayake & Fosberg, Rev. Handb. Fl. Ceylon 6: 213. f. 3B.1987. M. Heyneanum Benth. in Wall. ex Wight & Arn. var. *latifolia* Clarke in Hook.f., Fl. Brit. Ind. 2: 560. 1879. Sivu et al., Taiwania 57(3): 327–330. 2012. Das, Taxonomic Account of Memecylaceae (Ph.D. Thesis), University of Calcutta. 2017. Type: Sri Lanka: Thwaites C.P. 2468.

Shrubs, 2–2.5m high. Stems up to 4 cm in girth; branchlets subterete; internodes 4–5 cm long; bark shallowly fissured, greyish-brown. Leaves widely elliptic to lanceolate, 15–20 × 3–6 cm, apex acuminate, base cuneate, margins entire, pale beneath, glaucous above, coriaceous; midrib raised below, with fairly prominent intramarginal veins and secondary veins, foliar sclereids filiform; petioles 7–10 mm long, channelled on upper

side. Inflorescence a fascicle, 2 or 3-flowered, strictly on leafless nodes, sessile; pedicels absent or shorter than receptacle. Bracts ovate-lanceolate, ca. 1.5 mm long, visible to naked eyes. Flower buds acute in shape; flowers 4–6 mm across, pale blue. Hypantho-calyx campanulate, ca. 2.5 mm across, truncate; disk rays prominent, raised, yellowish or white. Petals 4, broadly ovate, ca. 4 × 4.5 mm, pale blue, acute at apex. Stamens 8, equal; filaments folded in buds, slender, ca. 5mm long, whitish-blue; anthers ca. 2 mm long, horse-shoe-shaped, curved; connectives with a central brown gland. Ovary unilocular with 10–12 ovules; free-central placentation; style subulate, filiform, ca. 5 mm long, pale bluish-white; stigma pointed. Fruits globose, 8–10mm with persistent calyx rind, yellow, bluish-black at maturity, 1-seeded.

Distribution

Global distribution: Sri Lanka and India.

India: Kerala (Kozhikode, Malappuram, and Wayanad




Image 3. *Memecylon clarkeanum* Cogn.: A—Fruiting branch | B—Inflorescence | C—Immature fruit | D—Leafless node | E—Shallowly fissured bark | F—Herbarium sheet. © Savinaya M.S.




Image 4. Distribution map of *Memecylon clarkeanum* Cogn. in India. A—Previous distribution map | B—Present distribution map. Map source—Google Earth.

districts), Tamil Nadu (Nilgiri district), Karnataka (Shivamogga district).

Habitat ecology

Memecylon clarkeanum Cogn. is recorded at an altitude range of 640 m in Rameshwara sacred grove

in a semi-evergreen forest in the Sharavathi river basin, Shivamogga district, Karnataka. The area receives an annual rainfall of 2,800–3,200 mm and the average temperature ranges 23–25 °C. The particular habitat is a slope of an undulated mountain terrain covered with thick canopy of gigantic trees.



Image 5. A—View of Rameshwara temple | **B**—Stand view of sacred forest (Rameshwara devarakadu, Hulkodu, Sagar, Shivamogga, Karnataka). © Savinaya M.S.

Associated species

The associated plant species commonly found in the habitat are *Aporosa lindleyana* (Wight) Baill., *Artocarpus hirsutus* Lam., *Canarium strictum* Roxb., *Chukrasia tabularis* A.Juss., *Diospyros buxifolia* (Blume) Hiern, *Holigarna grahamii* (Wight) Kurz, *Hopea ponga* (Dennst.) Mabb., *Ixora brachiata* Roxb., *Ixora nigricans* R. Br. ex Wight & Arn., *Knema attenuata* (Hook.f. & Thomson) Warburg, *Olea dioica* Roxb., *Psychotria flava* Talbot, and *Syzygium laetum* (Ham.) Gandhi.

Phenology: Flowering starts in the month of September and continues till November. Fruits can be seen throughout the month of December and January.

Conservation status: *Memecylon clarkeanum* Cogn. is listed as ‘Vulnerable’ based on the threat factor (A1c) (World Conservation Monitoring Centre 1998).

NOTES

The present record confirmed the range extension of the species from south to north and distributed up to central Western Ghats in Karnataka which deserves phytogeographical significance. Further its occurrence in sacred groves is a testimony that signifies the importance of age old practice of conserving representatives of past vegetation in the name of sacred forests which have immense biodiversity values for humanity.

The Rameshwara Devarakadu is a community forest of Hulkodu village where indigenous communities make use of forest green leaves for various agricultural purposes. Though, a season based green leaves collection by pruning tree branches was followed, the understory shrubs often get affected due to falling of woody branches during the course of collection knowingly or unknowingly. The authors identified only two individuals, of which only one plant is in reproductive

stage. Since they occur near areca plantations, there is severe threat of anthropogenic pressure. Therefore, strict conservation of sacred groves should be followed under the guidance of the state forest department and regular monitoring must be done with the support of the local indigenous communities.

Specimen examined: KUBPHS150, 01.iv.2018, India, Karnataka, Shivamogga district, Sagar taluk, Hulkodu village, Rameshwara devarakadu (Sacred grove), Sharavathi river basin, central Western Ghats, Savinaya M.S.

REFERENCES

- Bremer, K. (1979). Taxonomy of *Memecylon* (Melastomataceae) in Ceylon. *Opera Botanica* 50: 1–32.
- Bremer, K. (1981). “Seeds and embryos in Sri Lanka (Ceylonese) species of *Memecylon*, with notes on *Spathandra* (Melastomataceae)”. *Nordic Journal of Botany* 1(1): 62–65. <https://doi.org/10.1111/j.1756-1051.1981.tb01036>
- Clarke, C.B. (1879). Melastomaceae, pp. 512–565. In: Hooker, J.D. (ed.), *The Flora of British India*, Vol. 2. L. Reeve and Co., London.
- Cooke, T. (1901). *The Flora of the Presidency of Bombay - Volume I*. Taylor & Francis, London.
- Das, M. (2017). Taxonomic revision of the family memecylaceae dc. in India. Department of Botany, Calcutta University (unpublished).
- Dassanayake, M.D. & F.R. Fosberrig (1987). *Memecylon clarkeanum* Cogn. In: *A Revised Handbook to the Flora of Ceylon*. Vol. VI. Oxford & IBH Publishing C. Pvt. Ltd., New Delhi.
- Gamble, J.S. (1994). *Memecylon*, pp. 500–505. In: *Flora of the presidency of Madras*. London, part. 111.
- Gopalakrishna, K.B. (2003). *Memecylon*. In: *Flora of Udupi*. Manipal Press Limited, Manipal, 219 pp.
- Herbarium JCB (2012). Retrieved 23 March 2020 from <http://flora-peninsula-indica.ces.iisc.ac.in/herbsheet.php?id=5727&cat=7>
- Herbarium JCB (2020). Retrieved 23 March 2020 from <http://florakarnataka.ces.iisc.ac.in/hjcb2/search.php>
- HerbWeb (2020). Retrieved 17 October 2020, from <http://apps.kew.org/herbcat/detailsQuery.do?barcode=K000357752>
- Linnaeus, C. (1753). *Species Plantarum*. Laurentius Salvius, Stockholm, 1,200 pp.
- Melastomataceae.Net (2020). Retrieved 16 October 2020 from <http://>

- www.melastomataceae.net/
- Memecylon, L. (2018).** Retrieved 17 October 2020 from Plants of the World Online <http://www.plantsoftheworldonline.org/taxon/urn:lsid:ipni.org:names:26452-1>
- Ramaswami, S.N., R.M. Radhakrishna & D.A. Govindappa (2001).** *Memecylon*, pp. 239–240. In: *Flora of Shimoga District, Karnataka*. Prasaranga.
- Saldanha, C.J. & S.R. Ramesh (1984).** *Memecylon* In: *Flora of Karnataka*. Oxford & IBH, New Delhi.
- Sivu, A.R., M.K.R. Narayanan, E.S.S. Kumar, K.A. Sujana, N.S. Pradeep, N.A. Kumar & A.G. Pandurangan (2012).** *Memecylon clarkeanum* Cogn. (Melastomataceae) - a threatened species, new record for India. *Taiwania* 57(3): 327–330. [https://doi.org/10.6165/tai.2012.57\(3\).327](https://doi.org/10.6165/tai.2012.57(3).327)
- Trimen, H. (1894).** *A Handbook to the flora of Ceylon*, Part-II. London.
- Udhayavani, C. & V.S. Ramachandran (2013).** On the occurrence of *Memecylon clarkeanum* Cogn. (Melastomataceae) - a vulnerable species from Nilgiris, Tamil Nadu, India. *Journal of Threatened Taxa* 5(3): 4811–4814. <https://doi.org/10.11609/JOTT.o3638.4811-3>
- World Conservation Monitoring Centre (1998).** *Memecylon clarkeanum*. The IUCN Red List of Threatened Species 1998: e.T33517A9789376. Accessed on 19 March 2022. <https://doi.org/10.2305/IUCN.UK.1998.RLTS.T33517A9789376.en>



Dr. John Noyes, Natural History Museum, London, UK
Dr. Albert G. Orr, Griffith University, Nathan, Australia
Dr. Sameer Padhye, Katholieke Universiteit Leuven, Belgium
Dr. Nancy van der Poorten, Toronto, Canada
Dr. Karen Schnabel, NIWA, Wellington, New Zealand
Dr. R.M. Sharma, (Retd.) Scientist, Zoological Survey of India, Pune, India
Dr. Manju Siliwal, WILD, Coimbatore, Tamil Nadu, India
Dr. G.P. Sinha, Botanical Survey of India, Allahabad, India
Dr. K.A. Subramanian, Zoological Survey of India, New Alipore, Kolkata, India
Dr. P.M. Sureshan, Zoological Survey of India, Kozhikode, Kerala, India
Dr. R. Varatharajan, Manipur University, Imphal, Manipur, India
Dr. Eduard Vives, Museu de Ciències Naturals de Barcelona, Terrassa, Spain
Dr. James Young, Hong Kong Lepidopterists' Society, Hong Kong
Dr. R. Sundararaj, Institute of Wood Science & Technology, Bengaluru, India
Dr. M. Nitithyanandan, Environmental Department, La Al Kuwait Real Estate. Co. K.S.C., Kuwait
Dr. Himender Bharti, Punjabi University, Punjab, India
Mr. Purnendu Roy, London, UK
Dr. Saito Motoki, The Butterfly Society of Japan, Tokyo, Japan
Dr. Sanjay Soni, TITLI TRUST, Kalpavriksh, Dehradun, India
Dr. Nguyen Thi Phuong Lien, Vietnam Academy of Science and Technology, Hanoi, Vietnam
Dr. Nitin Kulkarni, Tropical Research Institute, Jabalpur, India
Dr. Robin Wen Jiang Ngiam, National Parks Board, Singapore
Dr. Lionel Monod, Natural History Museum of Geneva, Genève, Switzerland.
Dr. Asheesh Shivam, Nehru Gram Bharti University, Allahabad, India
Dr. Rosana Moreira da Rocha, Universidade Federal do Paraná, Curitiba, Brasil
Dr. Kur R. Arnold, North Dakota State University, Saxony, Germany
Dr. James M. Carpenter, American Museum of Natural History, New York, USA
Dr. David M. Claborn, Missouri State University, Springfield, USA
Dr. Karenne Schnabel, Marine Biologist, Wellington, New Zealand
Dr. Amazonas Chagas Júnior, Universidade Federal de Mato Grosso, Cuiabá, Brasil
Mr. Monsoon Jyoti Gogoi, Assam University, Silchar, Assam, India
Dr. Heo Chong Chin, Universiti Teknologi MARA (UiTM), Selangor, Malaysia
Dr. R.J. Shiel, University of Adelaide, SA 5005, Australia
Dr. Siddharth Kulkarni, The George Washington University, Washington, USA
Dr. Priyadarshan Dharma Rajan, ATREE, Bengaluru, India
Dr. Phil Alderslade, CSIRO Marine And Atmospheric Research, Hobart, Australia
Dr. John E.N. Veron, Coral Reef Research, Townsville, Australia
Daniel Whitmore, State Museum of Natural History Stuttgart, Rosenstein, Germany.
Dr. Yu-Feng Hsu, National Taiwan Normal University, Taipei City, Taiwan
Dr. Keith W. Wolfe, Antioch, California, USA
Dr. Siddharth Kulkarni, The Hormiga Lab, The George Washington University, Washington, D.C., USA
Dr. Tomas Ditrich, Faculty of Education, University of South Bohemia in Ceske Budejovice, Czech Republic
Dr. Mihaly Foldvari, Natural History Museum, University of Oslo, Norway
Dr. V.P. Uniyal, Wildlife Institute of India, Dehradun, Uttarakhand 248001, India
Dr. John T.D. Caleb, Zoological Survey of India, Kolkata, West Bengal, India
Dr. Priyadarshan Dharma Rajan, Ashoka Trust for Research in Ecology and the Environment (ATREE), Royal Enclave, Bangalore, Karnataka, India

Fishes

Dr. Neelesh Dahanukar, IISER, Pune, Maharashtra, India
Dr. Topiltzin Contreras MacBeath, Universidad Autónoma del estado de Morelos, México
Dr. Heok Hee Ng, National University of Singapore, Science Drive, Singapore
Dr. Rajeev Raghavan, St. Albert's College, Kochi, Kerala, India
Dr. Robert D. Sluka, Chiltern Gateway Project, A Rocha UK, Southall, Middlesex, UK
Dr. E. Vivekanandan, Central Marine Fisheries Research Institute, Chennai, India
Dr. Davor Zanella, University of Zagreb, Zagreb, Croatia
Dr. A. Biju Kumar, University of Kerala, Thiruvananthapuram, Kerala, India
Dr. Akhilesh K.V., ICAR-Central Marine Fisheries Research Institute, Mumbai Research Centre, Mumbai, Maharashtra, India
Dr. J.A. Johnson, Wildlife Institute of India, Dehradun, Uttarakhand, India

Amphibians

Dr. Sushil K. Dutta, Indian Institute of Science, Bengaluru, Karnataka, India
Dr. Annemarie Ohler, Muséum national d'Histoire naturelle, Paris, France

Reptiles

Dr. Gernot Vogel, Heidelberg, Germany
Dr. Raju Vyas, Vadodara, Gujarat, India
Dr. Pritpal S. Soorae, Environment Agency, Abu Dhabi, UAE.
Prof. Dr. Wayne J. Fuller, Near East University, Mersin, Turkey
Prof. Chandrashekher U. Rironker, Goa University, Taleigao Plateau, Goa, India
Dr. S.R. Ganesh, Chennai Snake Park, Chennai, Tamil Nadu, India
Dr. Hiranshu Sekhar Das, Terrestrial & Marine Biodiversity, Abu Dhabi, UAE

Journal of Threatened Taxa is indexed/abstracted in Bibliography of Systematic Mycology, Biological Abstracts, BIOSIS Previews, CAB Abstracts, EBSCO, Google Scholar, Index Copernicus, Index Fungorum, JournalSeek, National Academy of Agricultural Sciences, NewJour, OCLC WorldCat, SCOPUS, Stanford University Libraries, Virtual Library of Biology, Zoological Records.

NAAS rating (India) 5.64

Birds

Dr. Hem Sagar Baral, Charles Sturt University, NSW Australia
Mr. H. Biju, Coimbatore, Tamil Nadu, India
Dr. Chris Bowden, Royal Society for the Protection of Birds, Sandy, UK
Dr. Priya Davidar, Pondicherry University, Kalapet, Puducherry, India
Dr. J.W. Duckworth, IUCN SSC, Bath, UK
Dr. Rajah Jayopal, SACON, Coimbatore, Tamil Nadu, India
Dr. Rajiv S. Kalsi, M.L.N. College, Yamuna Nagar, Haryana, India
Dr. V. Santharam, Rishi Valley Education Centre, Chittoor Dt., Andhra Pradesh, India
Dr. S. Balachandran, Bombay Natural History Society, Mumbai, India
Mr. J. Praveen, Bengaluru, India
Dr. C. Srinivasulu, Osmania University, Hyderabad, India
Dr. K.S. Gopi Sundar, International Crane Foundation, Baraboo, USA
Dr. Gombobaatar Sundev, Professor of Ornithology, Ulaanbaatar, Mongolia
Prof. Reuven Yosef, International Birding & Research Centre, Eilat, Israel
Dr. Taej Mundkur, Wetlands International, Wageningen, The Netherlands
Dr. Carol Inskip, Bishop Auckland Co., Durham, UK
Dr. Tim Inskip, Bishop Auckland Co., Durham, UK
Dr. V. Gokula, National College, Tiruchirappalli, Tamil Nadu, India
Dr. Arkady Lelej, Russian Academy of Sciences, Vladivostok, Russia
Dr. Simon Dowell, Science Director, Chester Zoo, UK
Dr. Mário Gabriel Santiago dos Santos, Universidade de Trás-os-Montes e Alto Douro, Quinta de Prados, Vila Real, Portugal
Dr. Grant Connette, Smithsonian Institution, Royal, VA, USA
Dr. M. Zafar-ul Islam, Prince Saud Al Faisal Wildlife Research Center, Taif, Saudi Arabia

Mammals

Dr. Giovanni Amori, CNR - Institute of Ecosystem Studies, Rome, Italy
Dr. Anwaruddin Chowdhury, Guwahati, India
Dr. David Mallon, Zoological Society of London, UK
Dr. Shomita Mukherjee, SACON, Coimbatore, Tamil Nadu, India
Dr. Angie Appel, Wild Cat Network, Germany
Dr. P.O. Nameer, Kerala Agricultural University, Thrissur, Kerala, India
Dr. Ian Redmond, UNEP Convention on Migratory Species, Lansdown, UK
Dr. Heidi S. Riddle, Riddle's Elephant and Wildlife Sanctuary, Arkansas, USA
Dr. Karin Schwartz, George Mason University, Fairfax, Virginia.
Dr. Lala A.K. Singh, Bhubaneswar, Orissa, India
Dr. Mewa Singh, Mysore University, Mysore, India
Dr. Paul Racey, University of Exeter, Devon, UK
Dr. Honnavalli N. Kumara, SACON, Anaikatty P.O., Coimbatore, Tamil Nadu, India
Dr. Nishith Dharaiya, HNG University, Patan, Gujarat, India
Dr. Spartaco Gippoliti, Socio Onorario Società Italiana per la Storia della Fauna "Giuseppe Altobello", Rome, Italy
Dr. Justus Joshua, Green Future Foundation, Tiruchirappalli, Tamil Nadu, India
Dr. H. Raguram, The American College, Madurai, Tamil Nadu, India
Dr. Paul Bates, Harison Institute, Kent, UK
Dr. Jim Sanderson, Small Wild Cat Conservation Foundation, Hartford, USA
Dr. Dan Challender, University of Kent, Canterbury, UK
Dr. David Mallon, Manchester Metropolitan University, Derbyshire, UK
Dr. Brian L. Cypher, California State University-Stanislaus, Bakersfield, CA
Dr. S.S. Talmale, Zoological Survey of India, Pune, Maharashtra, India
Prof. Karan Bahadur Shah, Budhanilkantha Municipality, Kathmandu, Nepal
Dr. Susan Cheyne, Borneo Nature Foundation International, Palangkaraya, Indonesia
Dr. Hemanta Kafley, Wildlife Sciences, Tarleton State University, Texas, USA

Other Disciplines

Dr. Aniruddha Belsare, Columbia MO 65203, USA (Veterinary)
Dr. Mandar S. Paingankar, University of Pune, Pune, Maharashtra, India (Molecular)
Dr. Jack Tordoff, Critical Ecosystem Partnership Fund, Arlington, USA (Communities)
Dr. Ulrike Streicher, University of Oregon, Eugene, USA (Veterinary)
Dr. Hari Balasubramanian, EcoAdvisors, Nova Scotia, Canada (Communities)
Dr. Rayanna Helleni Santos Bezerra, Universidade Federal de Sergipe, São Cristóvão, Brazil
Dr. Jamie R. Wood, Landcare Research, Canterbury, New Zealand
Dr. Wendy Collinson-Jonker, Endangered Wildlife Trust, Gauteng, South Africa
Dr. Rajeshkumar G. Jani, Anand Agricultural University, Anand, Gujarat, India
Dr. O.N. Tiwari, Senior Scientist, ICAR-Indian Agricultural Research Institute (IARI), New Delhi, India
Dr. L.D. Singla, Guru Angad Dev Veterinary and Animal Sciences University, Ludhiana, India
Dr. Rupika S. Rajakaruna, University of Peradeniya, Peradeniya, Sri Lanka
Dr. Bharat Baviskar, Wild-CER, Nagpur, Maharashtra 440013, India

Reviewers 2019–2021

Due to paucity of space, the list of reviewers for 2018–2020 is available online.

The opinions expressed by the authors do not reflect the views of the Journal of Threatened Taxa, Wildlife Information Liaison Development Society, Zoo Outreach Organization, or any of the partners. The journal, the publisher, the host, and the partners are not responsible for the accuracy of the political boundaries shown in the maps by the authors.

Print copies of the Journal are available at cost. Write to:
The Managing Editor, JoTT,
c/o Wildlife Information Liaison Development Society,
No. 12, Thiruvannamalai Nagar, Saravanampatti - Kalapatti Road,
Saravanampatti, Coimbatore, Tamil Nadu 641035, India
ravi@threatenedtaxa.org



OPEN ACCESS



The Journal of Threatened Taxa (JoTT) is dedicated to building evidence for conservation globally by publishing peer-reviewed articles online every month at a reasonably rapid rate at www.threatenedtaxa.org. All articles published in JoTT are registered under [Creative Commons Attribution 4.0 International License](#) unless otherwise mentioned. JoTT allows unrestricted use, reproduction, and distribution of articles in any medium by providing adequate credit to the author(s) and the source of publication.

ISSN 0974-7907 (Online) | ISSN 0974-7893 (Print)

March 2022 | Vol. 14 | No. 3 | Pages: 20703–20810

Date of Publication: 26 March 2022 (Online & Print)

DOI: [10.11609/jott.2022.14.3.20703-20810](https://doi.org/10.11609/jott.2022.14.3.20703-20810)

www.threatenedtaxa.org

Article

Distribution and habitat-use of Dhole *Cuon alpinus* (Mammalia: Carnivora: Canidae) in Parsa National Park, Nepal

– Santa Bahadur Thing, Jhamak Bahadur Karki, Babu Ram Lamichhane, Shashi Shrestha, Uba Raj Regmi & Rishi Ranabhat, Pp. 20703–20712

Communications

Habitat preference and population density of threatened Visayan hornbills *Penelopides panini* and *Rhabdotorrhinus waldeni* in the Philippines

– Andrew Ross T. Reintar, Lisa J. Paguntalan, Philip Godfrey C. Jakosalem, Al Christian D. Quidet, Dennis A. Warguez & Emelyn Peñaranda, Pp. 20713–20720

Nest colonies of Baya Weaver *Ploceus philippinus* (Linnaeus, 1766) on overhead power transmission cables in the agricultural landscape of Cuddalore and Villupuram districts (Tamil Nadu) and Puducherry, India

– M. Pandian, Pp. 20721–20732

Status and distribution of Mugger Crocodile *Crocodylus palustris* in the southern stretch of river Cauvery in Melagiris, India

– Rahul Gour, Nikhil Whitaker & Ajay Kartik, Pp. 20733–20739

Dragonflies and damselflies (Insecta: Odonata) of Jabalpur, Madhya Pradesh, India

– Ashish Tiple, Vivek Sharma & Sonali V. Padwad, Pp. 20740–20746

Spatial and temporal variation in the diversity of malacofauna from Aripal stream of Kashmir Himalaya, India

– Zahoor Ahmad Mir & Yahya Bakhtiyar, Pp. 20747–20757

A checklist of blue-green algae (Cyanobacteria) from Punjab, India

– Yadavinder Singh, Gurdarshan Singh, D.P. Singh & J.I.S. Khattar, Pp. 20758–20772

Short Communications

Breeding biology of Sri Lanka White-eye *Zosterops ceylonensis* (Aves: Passeriformes: Zosteropidae) in tropical montane cloud forests, Sri Lanka

– W.D.S.C. Dharmarathne, P.H.S.P. Chandrasiri & W.A.D. Mahaulpatha, Pp. 20773–20779

Two new species of army ants of the *Aenictus ceylonicus* group (Hymenoptera: Formicidae) from Kerala, India

– Anupa K. Antony & G. Prasad, Pp. 20780–20785

Addition of three new angiospermic taxa to the flora of Bangladesh

– M. Ashrafuzzaman, M. Khairul Alam & A.K.M. Golam Sarwar, Pp. 20786–20791

A new distribution record of *Memecylon clarkeanum* Cogn. (Melastomataceae) to Karnataka from Sharavathi river basin, central Western Ghats, India

– Malve Sathisha Savinaya, Jogattappa Narayana, Venkataramiah Krishna & Kalamanji Govindaiah Girish, Pp. 20792–20797

Notes

First record of Doherty's Dull Oakblue *Arhopala khamti* Doherty, 1891 from upper Assam, India

– Arun Pratap Singh, Pp. 20798–20800

A new species of *Pancratium* Dill. ex L. (Amaryllidaceae) from Eastern Ghats of India

– R. Prameela, J. Prakasa Rao, S.B. Padal & M. Sankara Rao, Pp. 20801–20804

***Tribulus ochroleucus* (Maire) Ozenda & Quezel (Zygophyllaceae) - a new addition to the flora of India**

– K. Ravikumar, Umeshkumar Tiwari, Balachandran Natesan & N. Arun Kumar, Pp. 20805–20807

Abnormalities in the female spikelets of *Coix lacryma-jobi* L. (Poaceae) India

– Nilesh Appaso Madhav & Kumar Vinod Chhotupuri Gosavi, Pp. 20808–20810

Publisher & Host

