

OPEN ACCESS



The Journal of Threatened Taxa (JoTT) is dedicated to building evidence for conservation globally by publishing peer-reviewed articles online every month at a reasonably rapid rate at [www.threatenedtaxa.org](http://www.threatenedtaxa.org). All articles published in JoTT are registered under [Creative Commons Attribution 4.0 International License](https://creativecommons.org/licenses/by/4.0/) unless otherwise mentioned. JoTT allows unrestricted use, reproduction, and distribution of articles in any medium by providing adequate credit to the author(s) and the source of publication.

## Journal of Threatened Taxa

Building evidence for conservation globally

[www.threatenedtaxa.org](http://www.threatenedtaxa.org)

ISSN 0974-7907 (Online) | ISSN 0974-7893 (Print)

### NOTE

#### PHOTOGRAPHIC RECORD OF THE RUSTY-SPOTTED CAT *PRIONAILURUS RUBIGINOSUS* (I. GEOFFROY SAINT-HILAIRE, 1831) (MAMMALIA: CARNIVORA: FELIDAE) IN SOUTHERN WESTERN GHATS, INDIA

Devika Sanghamithra & P.O. Nameer

26 June 2021 | Vol. 13 | No. 7 | Pages: 18933–18935

DOI: 10.11609/jott.7013.13.7.18933-18935



For Focus, Scope, Aims, and Policies, visit [https://threatenedtaxa.org/index.php/JoTT/aims\\_scope](https://threatenedtaxa.org/index.php/JoTT/aims_scope)

For Article Submission Guidelines, visit <https://threatenedtaxa.org/index.php/JoTT/about/submissions>

For Policies against Scientific Misconduct, visit [https://threatenedtaxa.org/index.php/JoTT/policies\\_various](https://threatenedtaxa.org/index.php/JoTT/policies_various)

For reprints, contact <[ravi@threatenedtaxa.org](mailto:ravi@threatenedtaxa.org)>

The opinions expressed by the authors do not reflect the views of the Journal of Threatened Taxa, Wildlife Information Liaison Development Society, Zoo Outreach Organization, or any of the partners. The journal, the publisher, the host, and the partners are not responsible for the accuracy of the political boundaries shown in the maps by the authors.

Publisher & Host







**SMALL WILD CATS SPECIAL SERIES**

## Photographic record of the Rusty-spotted Cat *Prionailurus rubiginosus* (I. Geoffroy Saint-Hilaire, 1831) (Mammalia: Carnivora: Felidae) in southern Western Ghats, India

Devika Sanghamithra<sup>1</sup> & P.O. Nameer<sup>2</sup>

<sup>1,2</sup> Centre for Wildlife Studies, College of Forestry, Kerala Agricultural University, Vellanikkara, Thrissur, Kerala 680656, India.

<sup>1</sup>devikasanghamithra@gmail.com, <sup>2</sup>nameer.po@kau.in (corresponding author)

A Rusty-spotted Cat *Prionailurus rubiginosus* was photographed (Images 1,2) on 8 December 2018 in a dry deciduous forest in Walayar Reserve Forest, Palakkad district in the state of Kerala (Figure 1) during a survey on small carnivores. Camera traps with passive infra-red sensors and motion detectors were used for the study that lasted from 4 December 2018 to 10 January 2019. A total of 31 camera trap stations (Figure 1) were identified based on indirect evidence of small carnivores. The camera traps were installed at a height of 30cm from the ground and with a distance of at least 250m between two stations. They were kept active for 24 hours for 38 days with a total effort of 1,178 camera trap days.

The Walayar Reserve Forest extends over 125.65km<sup>2</sup>, of which 30km<sup>2</sup> is dry deciduous habitat that we surveyed only. The major tree species in this dry deciduous patch include *Anogeissus latifolia*, *Alangium salvifolium*, *Careya arborea*, *Tectona grandis*, *Buchanania axillaris*, *Garuga pinnata*, *Cassia fistula*, *Strebulus asper*, *Holarhena pubescens*, and *Clerodendrum infortunatum*.

The other mammal species recorded by the camera

traps during the study were Bonnet Macaque *Macaca radiata*, Tufted Grey Langur *Semnopithecus priam*, Asian Elephant *Elephas maximus*, Mouse Deer *Moschiola indica*, Barking Deer *Muntiacus muntjak*, Sambar Deer *Rusa unicolor*, Spotted Deer *Axis axis*, Gaur *Bos gaurus*, Wild Boar *Sus scrofa*, Common Palm Civet *Paradoxurus hermaphroditus*, Small Indian Civet *Viverricula indica*, Ruddy Mongoose *Herpestes smithii*, Stripe-necked Mongoose *Herpestes vitticollis*, Leopard Cat *Prionailurus bengalensis*, Tiger *Panthera tigris*, Leopard *P. pardus*, Dhole *Cuon alpinus*, Black-naped Hare *Lepus nigricollis*, and Indian Crested Porcupine *Hystrix indica*.

The Rusty-spotted Cat is a small felid that is endemic to India, Sri Lanka, and Nepal (Mukherjee et al. 2016). Along with the Black-footed Cat *Felis nigripes*, it is among the world's smallest cat species (Sunquist & Sunquist 2009). Since the Rusty-spotted Cat was recorded only once during the entire study period, we assume that it is rare in our study area. Our record of the Rusty-spotted Cat is consistent with its habitat use documented in eastern Gujarat (Patel 2006), Udanti-Sitanadi Tiger

**Editor:** Angie Appel, Wild Cat Network, Bad Marienberg, Germany.

**Date of publication:** 26 June 2021 (online & print)

**Citation:** Sanghamithra, D. & P.O. Nameer (2021). Photographic record of the Rusty-spotted Cat *Prionailurus rubiginosus* (I. Geoffroy Saint-Hilaire, 1831) (Mammalia: Carnivora: Felidae) in southern Western Ghats, India. *Journal of Threatened Taxa* 13(7): 18933–18935. https://doi.org/10.11609/jott.7013.13.7.18933-18935

**Copyright:** © Sanghamithra & Nameer 2021. Creative Commons Attribution 4.0 International License. JoTT allows unrestricted use, reproduction, and distribution of this article in any medium by providing adequate credit to the author(s) and the source of publication.

**Funding:** Kerala Agricultural University.

**Competing interests:** The author declares no competing interests. The views expressed are those of the author.

**Acknowledgements:** We thank the principal chief conservator of forests and chief wildlife warden, Kerala Forest Department for granting the permission to conduct the study in the forests of Kerala (WL10-62639/2017 dated 01-08-2018). We thank the divisional forest officer, Palakkad Forest Division, the range forest officer and other staff of Walayar Forest range for logistics and support. We extend our gratitude to Sachin K. Aravind and Sachin Krishna M.V. for their support in the field. We thank the dean, College of Forestry, Kerala Agricultural University for the encouragement and support. The Kerala Agricultural University provided the financial assistance for the study. The INSPIRE senior research fellowship from Department of Science and Technology, Government of India received by the first author (IF160753) is gratefully acknowledged. We are also grateful to three anonymous reviewers and the subject editor for their critical comments.






Figure 1. Location of Walayar Reserve Forest in Western Ghats, Kerala, India.



Image 1 & 2. Rusty-spotted Cat *Prionailurus rubiginosus* recorded in Walayar Reserve Forest on 8 December 2018. © Devika Sanghamithra & P.O. Nameer.



**Image 3.** A camera trap placed in the dry deciduous habitat in Walayar Reserve Forest. © Devika Sanghamithra & P.O. Nameer

Reserve in Chhattisgarh (Basak et al. 2018), Anaikatty Reserve Forest in Tamil Nadu (Mukherjee & Koparde 2014), and in the Aravalli Hills in Rajasthan (Sharma & Dhakad 2020; Singh & Kariyappa 2020). Elsewhere in India, it was also recorded in dry thorn forest, scrub forest, moist deciduous forest, semi-evergreen hill forest and sugarcane fields (Anwar et al. 2012; Kalle et al. 2013; Aditya & Ganesh 2016; Ghaskadbi et al. 2016; Bora et al. 2020; Chatterjee et al. 2020; Deshmukh et al. 2020; Sharma & Dhakad 2020; Silva et al. 2020).

In Kerala, it is present in Periyar Tiger Reserve, Parambikulam Tiger Reserve, Wayanad Wildlife Sanctuary, and Chinnar Wildlife Sanctuary (Shameer et al. 2019). The species is listed as 'Near Threatened' in the IUCN Red List of Threatened Species (Mukherjee et al. 2016) and is protected in India under Schedule I of the Wildlife (Protection) Act, 1972 (Acharjyo 1998). The Rusty-spotted Cat population is thought to decline by 20–25 % over the next three generations, primarily due to predicted habitat loss in central India (Mukherjee et al. 2016). The population is likely to be stable in protected areas; outside protected areas, it is threatened by diseases and road accidents (Mukherjee et al. 2016; Sharma & Dhakad 2020).

Our photographic record of the Rusty-spotted Cat in Walayar Reserve Forest is of interest as there are very few confirmed sightings of this species in Kerala. All the previous records in Kerala were obtained in dry deciduous forests (Shameer et al. 2019), and the present record also supports the Rusty-spotted Cat's preference for this habitat type. Further detailed surveys and ecological studies on this species are needed to ensure its long-term conservation.

## References

- Acharjyo, L.N. (1998). The six small cats of Orissa. *Envis Wildlife and Protected Areas* 1(2): 18–20.
- Aditya, V. & T. Ganesh (2016). Camera trap records of Rusty-Spotted Cat *Prionailurus rubiginosus* and Leopard Cat *Prionailurus bengalensis* (Mammalia: Carnivora: Felidae) from Papikonda National Park, northern Eastern Ghats, India. *Journal of Threatened Taxa* 8(5): 8815–8819. <https://doi.org/10.11609/jott.2401.8.5.8818-8819>
- Anwar, M., D. Hasan & J. Vattakaran (2012). Rusty-spotted Cat in Katerniaghat Wildlife Sanctuary, Uttar Pradesh State, India. *Cat News* 56: 12–13.
- Basak, K., M. Ahmed, M. Suraj, C. Sinha, B.V. Reddy, O.P. Yadav & K. Mondal (2018). First picture and temporal activity of Rusty-spotted Cat from Chhattisgarh, Central India. *Cat News* 67: 27–28.
- Bora, J.K., N. Awasthi, U. Kumar, S. Goswami, A. Pradhan, A. Prasad, D.R. Laha, R. Shukla, S.K. Shukla, Q. Qureshi & Y.V. Jhala (2020). Assessing the habitat use, suitability and activity pattern of the Rusty-spotted Cat *Prionailurus rubiginosus* in Kanha Tiger Reserve, India. *Mammalia* 84(5): 459–468. <https://doi.org/10.1515/mammalia-2019-0032>
- Chatterjee, N., P. Nigam & B. Habib (2020). Population density and habitat use of two sympatric small cats in a central Indian reserve. *Plos One* 15(6): e0233569. <https://doi.org/10.1371/journal.pone.0233569>
- Deshmukh, A., Y. Khadekar, M. Dhore & M.V. Baijuraraj (2020). Reunion with the mother: a successful rehabilitation strategy for displaced wild Rusty-spotted Cat *Prionailurus rubiginosus* (l. Geoffroy Saint-Hilaire, 1831) (Mammalia: Carnivora: Felidae) kittens. *Journal of Threatened Taxa* 12(16): 17245–17251. <https://doi.org/10.11609/jott.6466.12.16.17245-17251>
- Ghaskadbi, P., B. Habib, Z. Mir, R. Ray, G. Talikdar, S. Lyngdoh, B. Pandav, P. Nigam & A. Kaur (2016). Rusty-spotted Cat in Kalesar National Park and Sanctuary, Haryana, India. *Cat News* 63: 28–29.
- Kalle, R., T. Ramesh, Q. Qureshi & K. Sankar (2013). The occurrence of small felids in Mudumalai Tiger Reserve, Tamil Nadu, India. *Cat News* 58: 32–35.
- Mukherjee, A. & P. Koparde (2014). Sighting of Rusty-spotted Cat in Anaikatty Reserve Forest, Tamil Nadu, India. *Cat News* 60: 32.
- Mukherjee, S., J.W. Duckworth, A. Silva, A. Appel & A. Kittle (2016). *Prionailurus rubiginosus*. The IUCN Red List of Threatened Species: e. T18149A50662471. Downloaded on 29 March 2020. <https://doi.org/10.2305/IUCN.UK.2016-1.RLTS.T18149A50662471.en>
- Patel, K. (2006). Observation on Rusty-spotted Cat in eastern Gujarat. *Cat News* 45: 27–28.
- Shameer, T.T., B. Ramesh & P.S. Easa (2019). Recent records of Rusty-spotted Cat from southern Western Ghats, India. *Cat News* 70: 12–15.
- Sharma, S.K. & M. Dhakad (2020). The Rusty-spotted Cat *Prionailurus rubiginosus* (l. Geoffroy Saint-Hilaire, 1831) (Mammalia: Carnivora: Felidae) in Rajasthan, India - a compilation of two decades. *Journal of Threatened Taxa* 12(16): 17213–17221. <https://doi.org/10.11609/jott.6064.12.16.17213-17221>
- Silva, A.P., S. Mukherjee, U. Ramakrishnan, C. Fernandes & M. Björklund (2020). Closely related species show species-specific environmental responses and different spatial conservation needs: *Prionailurus* cats in the Indian subcontinent. *Scientific Reports* 10: 18705. <https://doi.org/10.1038/s41598-020-74684-8>
- Singh, H. & A. Kariyappa (2020). Records of Rusty-Spotted Cat *Prionailurus rubiginosus* (l. Geoffroy Saint-Hilaire, 1831) (Mammalia: Carnivora: Felidae) in Mount Abu Wildlife Sanctuary, Rajasthan, India. *Journal of Threatened Taxa* 12(16): 17258–17262. <https://doi.org/10.11609/jott.5969.12.16.17258-17262>
- Sunquist, M.E. & F.C. Sunquist (2009). Family Felidae, pp. 54–169. In: Wilson, D.E. & R.A. Mittermeier (eds.). *Handbook of the Mammals of the World: Carnivores*. Lynx Edicions, Barcelona, 727pp.



www.threatenedtaxa.org

OPEN ACCESS



The Journal of Threatened Taxa (JoTT) is dedicated to building evidence for conservation globally by publishing peer-reviewed articles online every month at a reasonably rapid rate at [www.threatenedtaxa.org](http://www.threatenedtaxa.org). All articles published in JoTT are registered under [Creative Commons Attribution 4.0 International License](https://creativecommons.org/licenses/by/4.0/) unless otherwise mentioned. JoTT allows unrestricted use, reproduction, and distribution of articles in any medium by providing adequate credit to the author(s) and the source of publication.

ISSN 0974-7907 (Online) | ISSN 0974-7893 (Print)

June 2021 | Vol. 13 | No. 7 | Pages: 18679–18958  
Date of Publication: 26 June 2021 (Online & Print)  
DOI: 10.11609/jott.2021.13.7.18679-18958

#### Communications

**Persistence of *Trachypithecus geei* (Mammalia: Primates: Cercopithecidae) in a rubber plantation in Assam, India**

– Joydeep Shil, Jihosuo Biswas, Sudipta Nag & Honnavalli N. Kumara, Pp. 18679–18686

**Population assessment of the endangered Western Hoolock Gibbon *Hoolock hoolock* Harlan, 1834 at Sheikh Jamal Inani National Park, Bangladesh, and conservation significance of this site for threatened wildlife species**

– M. Tarik Kabir, M. Farid Ahsan, Susan M. Cheyne, Shahrul Anuar Mohd Sah, Susan Lappan, Thad Q. Bartlett & Nadine Ruppert, Pp. 18687–18694

**Assessment of changes over a decade in the patterns of livestock depredation by the Himalayan Brown Bear in Ladakh, India**

– Aishwarya Maheshwari, A. Arun Kumar & Sambandam Sathyakumar, Pp. 18695–18702

**Habitat selection of Himalayan Musk Deer *Moschus leucogaster* (Mammalia: Artiodactyla: Moschidae) with respect to biophysical attributes in Annapurna Conservation Area of Nepal**

– Bijaya Neupane, Nar Bahadur Chhetri & Bijaya Dhimi, Pp. 18703–18712

**Sero-diagnosis of tuberculosis in elephants in Maharashtra, India**

– Utkarsh Rajhans, Gayatri Wankhede, Balaji Ambore, Sandeep Chaudhari, Navnath Nighot, Vitthal Dhaygude & Chhaya Sonekar, Pp. 18713–18718

**Avian species richness in traditional rice ecosystems: a case study from upper Myanmar**

– Steven G. Platt, Myo Min Win, Naing Lin, Swann Htet Naing Aung, Ashish John & Thomas R. Rainwater, Pp. 18719–18737

**Conservation status, feeding guilds, and diversity of birds in Doroji Sloth Bear Sanctuary, Karnataka, India**

– M.N. Harisha, K.S. Abdul Samad & B.B. Hosetti, Pp. 18738–18751

**Birds of Surat-Dangs: a consolidated checklist of 75 years (1944–2020) with special emphasis on noteworthy bird records and bird hotspots from northern Western Ghats of Gujarat, India**

– Nikunj Jambu & Kaushal G. Patel, Pp. 18752–18780

**Identification of a unique barb from the dorsal body contour feathers of the Indian Pitta *Pitta brachyura* (Aves: Passeriformes: Pittidae)**

– Prateek Dey, Swapna Devi Ray, Sanjeev Kumar Sharma, Padmanabhan Pramod & Ram Pratap Singh, Pp. 18781–18791

**Underestimated diversity of *Cnemaspis* Strauch, 1887 (Sauria: Gekkonidae) on karst landscapes in Sarawak, East Malaysia, Borneo**

– Izneil Nashriq & Indraneil Das, Pp. 18792–18799

***Aborichthys barapensis*, a new species of river loach (Cypriniformes: Nemacheilidae) from Arunachal Pradesh, the eastern Himalaya, India**

– P. Nanda & L. Tamang, Pp. 18800–18808

**A study on the community structure of damselflies (Insecta: Odonata: Zygoptera) in Paschim Medinipur, West Bengal, India**

– Pathik Kumar Jana, Priyanka Halder Mallick & Tanmay Bhattacharya, Pp. 18809–18816

**New distribution and range extension records of geometrid moths (Lepidoptera: Geometridae) from two western Himalayan protected areas**

– Pritha Dey & Axel Hausmann, Pp. 18817–18826

**Butterfly diversity of Putalibazar Municipality, Syangja District, Gandaki Province, Nepal**

– Kismat Neupane & Mahamad Sayab Miya, Pp. 18827–18845

**New records and distribution extension of *Nassarius persicus* (Martens, 1874) and *N. tadjillii* Moolenbeek, 2007 (Mollusca: Gastropoda: Nassariidae) to India**

– Sayali Nerurkar & Deepak Apte, Pp. 18846–18852

**Flowering plants of Agumbe region, central Western Ghats, Karnataka, India**

– G.S. Adithya Rao & Y.L. Krishnamurthy, Pp. 18853–18867

**Population assessment and habitat distribution modelling of the threatened medicinal plant *Picrorhiza kurroa* Royle ex Benth. in the Kumaun Himalaya, India**

– Naveen Chandra, Gajendra Singh, Shashank Lingwal, M.P.S. Bisht & Lalit Mohan Tewari, Pp. 18868–18877

**Occurrence of gilled fungi in Puducherry, India**

– Vadivelu Kumaresan, Chakravarthy Sariha, Thokur Sreepathy Murali & Gunasekaran Senthilarasu, Pp. 18878–18887

#### Short Communications

**First photographic evidence and distribution of the Indian Pangolin *Manis crassicaudata* (Mammalia: Pholidota: Manidae) in Sariska Tiger Reserve, Rajasthan, India**

– Hemant Singh, Gobind Sagar Bhardwaj, N. Gokulakannan, Saket Agasti & K. Aditya, Pp. 18888–18893

**Population and conservation threats to the Greater Flamingos *Phoenicopterus roseus* (Aves: Phoenicopteriformes: Phoenicopteridae) at Basai Wetland and Najafgarh Jheel Bird Sanctuary, Haryana, India**

– Amit Kumar & Sarita Rana, Pp. 18894–18898

**First report on the occurrence of Sargassum Weed Fish *Histrio histrio* (Lophiliformes: Antennariidae) in Nigeria deep water, Gulf of Guinea**

– Abdul-Rahman Dirisu, Hanson S. Uyi & Meshack Uyi, Pp. 18899–18902

**A new distribution record of stomatopods *Odontodactylus japonicus* (De Haan, 1844) and *Lysiosquilla tredecimdentata* (Holthuis, 1941) from the Puducherry coastal waters, east coast of India**

– S. Nithya Mary, V. Ravitchandirane & B. Gunalan, Pp. 18903–18907

**New records of *Agriocnemis keralensis* Peters, 1981 and *Gynacantha khasiaca* MacLachlan, 1896 (Insecta: Odonata) from Maharashtra, India**

– Yogesh Koli, Akshay Dalvi & Dattaprasad Sawant, Pp. 18908–18919

**A new distribution record of the Horn Coral *Caryophyllia grandis* Gardiner & Waugh, 1938 (Anthozoa: Scleractinia) from the Karnataka Coast, India**

– J.S. Yogesh Kumar & C. Raghunathan, Pp. 18920–18924

**Re-collection, extended distribution, and amplified description of *Vaccinium paucicrenatum* Sleumer (Ericaceae) from the Arunachal Himalaya in India**

– Subhasis Panda, Pp. 18925–18932

#### Notes

**Photographic record of the Rusty-spotted Cat *Prionailurus rubiginosus* (I. Geoffroy Saint-Hilaire, 1831) (Mammalia: Carnivora: Felidae) in southern Western Ghats, India**

– Devika Sanghamithra & P.O. Nameer, Pp. 18933–18935

**Natural history notes on the highly threatened Pinto's Chachalaca *Ortalis remota* (Aves: Cracidae) 1831**

– Carlos Otávio Araujo Gussoni & Marco Aurélio Galvão da Silva, Pp. 18936–18938

**Black-bellied Coral Snake *Sinomicrurus nigriventer* (Wall, 1908) (Elapidae): an extended distribution in the western Himalaya, India**

– Sipu Kumar, Jignasu Dolia, Vartika Chaudhary, Amit Kumar & Abhijit Das, Pp. 18939–18942

**First record of the Afghan Poplar Hawkmoth *Loathoe witti* Eitschberger et al., 1998 (Sphingidae: Smerinthinae) from India: a notable range extension for the genus**

– Muzafar Riyaz, Pratheesh Mathew, Taslima Shiekh, S. Ignacimuthu & K. Sivasankaran, Pp. 18943–18946

**The tribe Cnodalonini (Coleoptera: Tenebrionidae: Stenochiinae) from Maharashtra with two new records**

– V.D. Hegde & D. Vasanthakumar, Pp. 18947–18948

**Do predatory adult odonates estimate their adult prey odonates' body size and dispersal ability to proceed with a successful attack?**

– Tharaka Suresh Priyadarshana, Pp. 18949–18952

**Rediscovery of *Ophiorrhiza incarnata* C.E.C. Fisch. (Rubiaceae) from the Western Ghats of India after a lapse of 83 years**

– Perumal Murugan, Vellingiri Ravichandran & Chidambaram Murugan, Pp. 18953–18955

#### Response

**Comments on the "A checklist of mammals with historical records from Darjeeling-Sikkim Himalaya landscape, India"**

– P.O. Nameer, Pp. 18956–18958

Publisher & Host

